

## Summary for WDF-232XX-XX Series

In the 21 century , the technology development is growing faster and faster . The protections of electric devices are more and more important recently .CLM is involved in designing both good-looking and suitable cabinet / rack / wallmount for every kind of necessities of customers . And development of kinds of accessroies is growing faster and faster.

### Summary for WDF-232XX-A Series



Dimensions		
Type 232xx-xxAA	Type 232xx-xxAB	Type 232xx-xxAC
Width 600 mm	Width 600 mm	Width 600 mm
Depth 250mm,300mm,350mm, 400mm,450mm,500mm, 550mm, 600mm,650mm	Depth 600mm,650mm,700mm, 750mm 800mm,850mm	Depth 300mm,350mm,400mm, 450mm,500mm,550mm, 600mm,650mm
Height 4U~24U	Height 12U~24U	Height 6U~24U

#### Features :

1. Applications for networking & communication system & monitoring system .
2. Elegant design can be a wall decoration .
3. The additional holes on the frame can be used for the cable management.
4. Vented slots on the top panel , the bottom panel & the front door can efficiently reduce the interior heat for higher ventilation.
5. Spring-load hinges for setting and removing the front door in one second.
6. The sponges assembled on the cable entries can block dusty & keep cable from hurt.
7. Design of roof panel & bottom panel for easily assembled & dismantled.
8. Tempered glass fastened on a robust steel frame to become a secure front door out of block.
9. Adequate loading of wallmount fasten on the wall .
10. Powder coating for RoHS compliant .
11. Black & Beige for color selections

## Summary for WDF-232xx-xx C Series






Dimensions :	
Type CA	Type CB
Width 535 mm	Width 535 mm
Depth 200mm , 250 mm , 300mm , 350mm , 400mm	Depth 200mm , 250 mm , 300mm , 350mm , 400mm
Height 4U , 6U , 9U , 12U , 15U , 18U ,21U	Height 4U , 6U , 9U , 12U , 15U , 18U ,21U

### Features :

1. Elegant design can be a wall decoration .
2. Vented rectangle slot's top & bottom panel for high ventilation .
3. The way of dismantling the side panel is pulling-in and pulling-out and fixed in front by screw.
4. Unmovable roof & bottom panels .
5. Suitable for corridor distribution & Wallmount distribution.
6. Tempered glass fastened into a robust steel frame to become a security front door .
7. The Package of Wallmount is not flat but is completely assembled.
8. Powder coating for RoHS compliant .
9. Black & Beige for color selections .

	 <p style="text-align: center;">WDF-232xx-xxAA</p>	 <p style="text-align: center;">WDF-232xx-xxAB</p>
Applications	<ul style="list-style-type: none"> <li>● Wallmount distribution</li> <li>● Corridor distribution</li> <li>● Office distribution</li> <li>● Network distribution</li> </ul>	<ul style="list-style-type: none"> <li>● Office distribution</li> <li>● Mini-server racks</li> <li>● Small business department</li> <li>● Home workstation</li> </ul>
Installation Type	Wallmount	Floor type
Design Features	<ul style="list-style-type: none"> <li>● Stable construction of the main frame by CLM's specific design</li> <li>● Symmetrical frame</li> <li>● Removable side panels &amp; front door</li> <li>● Removable roof panel &amp; bottom panel</li> <li>● Swingable side panels</li> <li>● Swingable front door</li> <li>● Cable management</li> <li>● Passive ventilator</li> </ul>	<ul style="list-style-type: none"> <li>● Stable construction of the main frame by CLM's specific design</li> <li>● Symmetrical frame</li> <li>● Removable side panels &amp; Front door</li> <li>● Removable roof panel &amp; Bottom panel</li> <li>● Swingable side panels</li> <li>● Swingable front door</li> <li>● Cable management</li> <li>● Passive ventilator</li> </ul>
Benefits	<ul style="list-style-type: none"> <li>● Integral passive ventilator</li> <li>● 482.6mm(19") interior for mounting angles</li> <li>● Interior additional hoels for installing accessories</li> <li>● Depth variants</li> <li>● Modular enclosure diversity with an extensive range of system accessories</li> <li>● Easy assembled &amp; dismantled.</li> <li>● Particularly cost-effective complete system</li> <li>● Saving warehouse space due to D.I.Y flat-package</li> <li>● Attractive outlooking</li> </ul>	<ul style="list-style-type: none"> <li>● Integral passive ventilator</li> <li>● Optional fans on the additional fan-holes of the roof panel &amp; rear door</li> <li>● Suitable for office use</li> <li>● 482.6mm(19") interior for mounting angles</li> <li>● Interior additional hoels for installing accessories</li> <li>● Depth variants</li> <li>● Modular enclosure diversity with an extensive range of system accessories</li> <li>● Easy assembled &amp; dismantled.</li> <li>● D.I.Y flat-package</li> <li>● Attractive outlooking</li> </ul>

	 <p style="text-align: center;">WDF-232xx-xxAC</p>	 <p style="text-align: center;">WDF-232xx-xxCA</p>
Applications	<ul style="list-style-type: none"> <li>● Office distribution</li> <li>● Mini-server racks</li> <li>● Small business sector</li> <li>● Home workstation</li> </ul>	<ul style="list-style-type: none"> <li>● Wallmount distribution</li> <li>● Corridor distribution</li> <li>● Office distribution</li> </ul>
Installation Type	Wallmount	Wallmount
Design Features	<ul style="list-style-type: none"> <li>● Stable construction of the main frame by CLM's specific design</li> <li>● Symmetrical frame</li> <li>● Removable side panels &amp; front door</li> <li>● Removable roof panel &amp; bottom panel</li> <li>● Swingable side panels</li> <li>● Swingable front door</li> <li>● Cable management</li> <li>● Passive ventilator</li> </ul>	<ul style="list-style-type: none"> <li>● Symmetrical Frame</li> <li>● Graceful Front Door</li> <li>● Removable Side Panels &amp; Front Door</li> <li>● Unremovable Roof Panel &amp; Bottom Panel</li> <li>● Pull-out Side Panels</li> <li>● Passive Ventilation Concept</li> </ul>
Benefits	<ul style="list-style-type: none"> <li>● Integral passive ventilator</li> <li>● Fixable on the wall panel</li> <li>● 482.6mm(19") interior for mounting angles</li> <li>● Interior additional hoels for installing accessories</li> <li>● Depth variants</li> <li>● Modular enclosure diversity with an extensive range of system accessories</li> <li>● Easy assembled &amp; dismantled.</li> <li>● Cost-effective complete</li> <li>● Saving warehouse space due to D.I.Y flat-package</li> <li>● Attractive outlooking</li> </ul>	<ul style="list-style-type: none"> <li>● Integral passive ventilator</li> <li>● Fixable on the wall panel</li> <li>● 482.6mm(19") interior for mounting angles</li> <li>● Interior additional hoels for installing accessories</li> <li>● Depth variants</li> <li>● Modular accessories</li> <li>● Easy assembled &amp; dismantled.</li> <li>● Cost-effective complete</li> <li>● Designed unity of roof panel , bottom panel &amp; wall panel</li> <li>● Not flat-package but complete package</li> </ul>

	 <p style="text-align: right;">WDF-232xx-xxCB</p>
Applications	<ul style="list-style-type: none"> <li>● Wallmount distribution</li> <li>● Corridor distribution</li> <li>● Office distribution</li> </ul>
Installation Type	Wallmount
Design Features	<ul style="list-style-type: none"> <li>● Symmetrical frame</li> <li>● Vented front door</li> <li>● Removable side panels &amp; Front door</li> <li>● Unremovable roof panel &amp; Bottom panel</li> <li>● Pull-out side panels</li> <li>● Passive ventilation Concept</li> </ul>
Benefits	<ul style="list-style-type: none"> <li>● Integral passive ventilator</li> <li>● Fixable on the wall panel</li> <li>● 482.6mm(19") interior for mounting angles</li> <li>● Interior additional hoels for installing accessories</li> <li>● Depth variants</li> <li>● Modular accessories</li> <li>● Easy assembled &amp; dismantled.</li> <li>● Cost-effective complete</li> <li>● Designed unity of roof panel , bottom panel &amp; wall panel</li> <li>● Not flat-package but complete package</li> </ul>